



ROSETTI SUPERYACHTS

SHIPYARD EST. 1925

35M SUPPLY VESSEL YACHT

THIS 35 METER VESSEL IS ABLE TO HANDLE ROUGH SEAS AND AT THE SAME TIME OFFERS A COMFORTABLE CRUISE. THE THREE DECKS CAN HOST THE OWNER, 8 GUESTS AND 6 CREW MEMBERS. THE TENDER CAN BE HOUSED ON THE MAIN DECK AND CAN BE RAPIDLY LAUNCHED BY MEANS OF A CRANE.

THE SUN DECK OFFERS A DINING AND LOUNGE AREA TO ALLOW THE GUESTS TO ENJOY THE SEA VIEW. FOUR GUEST CABINS ARE LOCATED ON THE LOWER DECK.

CECCARELLI YACHT DESIGN AND ENGINEERING























35M SUPPLY VESSEL YACHT CECCARELLI YACHT DESIGN AND ENGINEERING
 TECHNICAL DATA


PROFILE




SUN DECK



UPPER DECK




MAIN DECK



LOWER DECK
OPTION A



LOWER DECK
OPTION B



ENGINES	2 X MAN D2868 735 kW 2300rpm 2 X ZF W 650 reduction gears	2x735 kW	2x1000 HP
SPEED	Maximum speed	14 knots	
	Cruising speed	10 knots	
RANGE (Nautical Miles)	Autonomy at 10 knots	4.700 n.m.	

MAIN SIZES	LoA: Length overall	35,00 m	114 ft 10 in
	Lwl: Waterline Length	34,00 m	111 ft 7 in
	Maximum Beam	8,25 m	27 ft 1 in
	Depth	4,10 m	13 ft 5 in
	Moulded draft	2,25 m	7 ft 5 in
	Gross tonnage	310 GRT	

MAXIMUM NUMBER OF GUESTS ON BOARD 10

CERTIFICATION RINA C, HULL, MACH, Y, Short Range, LY3 compliant

The Technical data, performances, designs and graphic reproductions are purely indicative, are not contractual, shall not constitute in any circumstances whatsoever any contractual offer by the shipyard and refer to European standard models of motor yachts built by the shipyard. The only valid technical reference or description is the specific parameters of each motor yacht cited only on purchase of the same. Therefore the only indications binding on the seller are contained solely in the Contract and in the relevant Technical Specification.

